

V	Winter Linseed Bulletin 03/18				
In this bulletin		CURRENT CROP CONDITIONS			
*	Current crop conditions	A mild October/early November means that crop growth has got off to a good start. The majority of crops are anywhere between 4cm and 6cm, with a handful			
*	Late Autumn PGR	of crops between 7cm and 9cm. While the bulk of crops are on the small side, sub 7cm, winter linseed will grow once air and soil temperatures are warm enough (8°C).			
*	Foliar disease manage-				
	ment	Looking ahead, any crops which have not received a fungicide/PGR treatment			
	Late season grassweed control	and are growing rapidly should be dealt with heading into the winter. Spring PGR options are available; however it is best to keep advanced crops in check. Bear in mind the ideal height of a linseed crop coming out of the winter is 10cm tall.			
		Any grassweeds that have not been cleaned out should be dealt with before			

Christmas. For a blackgrass anti-resistance strategy with Centurion-max, Crawler should be applied to crops which did not receive a pre-em Avadex treatment.

GROWTH REGULATIONS & DISEASE CONTROL

Whilst most crops will not require any further growth regulation this Autumn due to their small size, crops that are currently at 10cm will require further treatment now.

If you missed the Difcor 250 or Difcor 250 & Folicur application as specified in bulletin 02/18, then you need to modify your application as below:

Product	Rate	Notes
Folicur	0.5lt/ha	200lt/ha water
+	+	Apply as soon as crop is 10cm tall
Sunorg Pro	0.4lt/ha	Apply as soon as crop is 10cm tall and is actively growing

Where Difcor 250 or Difcor 250 & Folicur were used previously, the crop is 10cm tall and 3 weeks have elapsed since the first application, use:

Product	Rate	Notes
Sunorg Pro	0.8lt/ha	200lt/ha water Apply if the crop is 10cm tall and 3 weeks have elapsed since the last application

LATE SEASON GRASS WEED CONTROL

For non-herbicide resistant situations, leave control until Spring, but for herbicide resistant situations, a Winter follow -up with Crawler will be needed.

CRAWLER USAGE

Mild conditions are not suitable for Crawler. Although application should be completed before Christmas, a delay until some cooler weather arrives is advised. Some frosty nights are required to slow linseed growth.

Crawler use can be severe on the crop, so it is worth reiterating the best way to minimise crop damage and maximise weed control:

- Ensure that the crops is a minimum of **7.5cm (3") tall** with established side branches
- Apply in late November when cool and damp
- DO NOT tank mix with other products
- Leave at least 3 weeks from the last application of graminicide (if used with oil)
- Leave at least 2 weeks after any other treatment
- Make sure applications are completed before Christmas

Situation	Product	Rate	Notes
Resistant Blackgrass and Brome	Crawler	2.5kg/ha	For crops >7.5cm tall
Centurion Max applied	Crawler	1.8kg/ha	For crops >7.5cm tall

MEADOW GRASS

Situation	Product	Rate	Notes
Where high levels of Meadow Grass are found	Crawler	1.0kg/ha	For crops with side branches

DO NOT tank mix Crawler with any other product including graminicides

BROADLEAF WEED CONTROL

Where broadleaved weed control has not yet been completed, it is usually advisable to leave it now until Spring.

Always read the label before using pesticides. Herbicide products in this bulletin are approved under Extension of Authorisation for Minor Use (EAMU). Usage under EAMU is entirely at the grower's risk.

For agronomy advice please contact Sam Deane or Hannah Foxall:

Office: 02392 632883

Mobile: 07917 275053 (Sam) or 07786 413815 (Hannah)

Email: sam.deane@premiumcrops.com or Hannah.foxall@premiumcrops.com

15th November 2017

Whitedale Farm, East Street, Hambledon, Hampshire, PO7 4RZ

02392 632883 info@premiumcrops.com www.premiumcrops.com

Registered in England No. 4293590 VAT No. 777 2410 18

PICTURES OF THE MONTH



